



DEEP TEST RESULTS - 02/16/08, 02/22/08, 05/06/08, 07/11/08
AND 01/17/07, 05/29/07, 09/19/07

TEST NO.	TEST DATE	DEPTH (FT)	SOIL TYPE	MOISTURE (%)	PLASTICITY (%)	PERMEABILITY (cm/sec)	TESTING
1	TP1-1	30"	CLAY LOAM	22	15	1.5E-05	1
1	TP1-2	45"	CLAY LOAM	22	15	1.5E-05	1
2	TP2-1	30"	CLAY LOAM	22	15	1.5E-05	1
2	TP2-2	45"	CLAY LOAM	22	15	1.5E-05	1
3	TP3-1	30"	CLAY LOAM	22	15	1.5E-05	1
3	TP3-2	45"	CLAY LOAM	22	15	1.5E-05	1
6	TP6-1	30"	CLAY LOAM	22	15	1.5E-05	1
6	TP6-2	45"	CLAY LOAM	22	15	1.5E-05	1
7	TP7-1	30"	CLAY LOAM	22	15	1.5E-05	1
7	TP7-2	45"	CLAY LOAM	22	15	1.5E-05	1
8	TP8-1	30"	CLAY LOAM	22	15	1.5E-05	1
8	TP8-2	45"	CLAY LOAM	22	15	1.5E-05	1
9	TP9-1	30"	CLAY LOAM	22	15	1.5E-05	1
9	TP9-2	45"	CLAY LOAM	22	15	1.5E-05	1
10	TP10-1	30"	CLAY LOAM	22	15	1.5E-05	1
10	TP10-2	45"	CLAY LOAM	22	15	1.5E-05	1
11	TP11-1	30"	CLAY LOAM	22	15	1.5E-05	1
11	TP11-2	45"	CLAY LOAM	22	15	1.5E-05	1
12	TP12-1	30"	CLAY LOAM	22	15	1.5E-05	1
12	TP12-2	45"	CLAY LOAM	22	15	1.5E-05	1
13	TP13-1	30"	CLAY LOAM	22	15	1.5E-05	1
13	TP13-2	45"	CLAY LOAM	22	15	1.5E-05	1

DEEP TEST RESULTS - 02/16/08, 02/22/08, 05/06/08, 07/11/08
AND 01/17/07, 05/29/07, 09/19/07

TEST NO.	TEST DATE	DEPTH (FT)	SOIL TYPE	MOISTURE (%)	PLASTICITY (%)	PERMEABILITY (cm/sec)	TESTING
14	TP14-1	30"	CLAY LOAM	22	15	1.5E-05	1
14	TP14-2	45"	CLAY LOAM	22	15	1.5E-05	1
15	TP15-1	30"	CLAY LOAM	22	15	1.5E-05	1
15	TP15-2	45"	CLAY LOAM	22	15	1.5E-05	1
16	TP16-1	30"	CLAY LOAM	22	15	1.5E-05	1
16	TP16-2	45"	CLAY LOAM	22	15	1.5E-05	1
17	TP17-1	30"	CLAY LOAM	22	15	1.5E-05	1
17	TP17-2	45"	CLAY LOAM	22	15	1.5E-05	1
18	TP18-1	30"	CLAY LOAM	22	15	1.5E-05	1
18	TP18-2	45"	CLAY LOAM	22	15	1.5E-05	1
19	TP19-1	30"	CLAY LOAM	22	15	1.5E-05	1
19	TP19-2	45"	CLAY LOAM	22	15	1.5E-05	1
20	TP20-1	30"	CLAY LOAM	22	15	1.5E-05	1
20	TP20-2	45"	CLAY LOAM	22	15	1.5E-05	1
21	TP21-1	30"	CLAY LOAM	22	15	1.5E-05	1
21	TP21-2	45"	CLAY LOAM	22	15	1.5E-05	1
22	TP22-1	30"	CLAY LOAM	22	15	1.5E-05	1
22	TP22-2	45"	CLAY LOAM	22	15	1.5E-05	1
23	TP23-1	30"	CLAY LOAM	22	15	1.5E-05	1
23	TP23-2	45"	CLAY LOAM	22	15	1.5E-05	1
24	TP24-1	30"	CLAY LOAM	22	15	1.5E-05	1
24	TP24-2	45"	CLAY LOAM	22	15	1.5E-05	1

PERCOLATION TEST RESULTS

TEST NO.	TEST DATE	DEPTH (FT)	SOIL TYPE	PERMEABILITY (cm/sec)	TESTING
1	PT1-1	30"	CLAY LOAM	1.5E-05	1
1	PT1-2	45"	CLAY LOAM	1.5E-05	1
2	PT2-1	30"	CLAY LOAM	1.5E-05	1
2	PT2-2	45"	CLAY LOAM	1.5E-05	1
3	PT3-1	30"	CLAY LOAM	1.5E-05	1
3	PT3-2	45"	CLAY LOAM	1.5E-05	1
6	PT6-1	30"	CLAY LOAM	1.5E-05	1
6	PT6-2	45"	CLAY LOAM	1.5E-05	1
7	PT7-1	30"	CLAY LOAM	1.5E-05	1
7	PT7-2	45"	CLAY LOAM	1.5E-05	1
8	PT8-1	30"	CLAY LOAM	1.5E-05	1
8	PT8-2	45"	CLAY LOAM	1.5E-05	1
9	PT9-1	30"	CLAY LOAM	1.5E-05	1
9	PT9-2	45"	CLAY LOAM	1.5E-05	1
10	PT10-1	30"	CLAY LOAM	1.5E-05	1
10	PT10-2	45"	CLAY LOAM	1.5E-05	1
11	PT11-1	30"	CLAY LOAM	1.5E-05	1
11	PT11-2	45"	CLAY LOAM	1.5E-05	1
12	PT12-1	30"	CLAY LOAM	1.5E-05	1
12	PT12-2	45"	CLAY LOAM	1.5E-05	1
13	PT13-1	30"	CLAY LOAM	1.5E-05	1
13	PT13-2	45"	CLAY LOAM	1.5E-05	1

LEGEND

- PROPERTY LINE
- - - BUILDING SETBACK
- ⊕ TEST PIT
- ⊕ PERCOLATION TEST

Scale: 1" = 120' FOR 24X36 SHEET

The LA Co
Landscape Architecture

40 Long Alley
Saratoga Springs
NY 12866

Unauthorized alteration or a document is a violation of State Education Law

© The LA Group 2017

Prepared for:
Terramor Outdoor Re

550 N 31st Street
Billings, MT 59101

ISSUED FOR:
SKETCH PLAN APPL

Project Title:
Terramor Catskills

NY ROUTE 212
Saugerties, NY 124

Project No:
Design:
Drawn: KAC
Date: 04/18/2022

Rev. Description:

Drawing Title
Soils Invent

Drawing No.
SK-1